

POSITION STATEMENT OF THE NATIONAL LYMPHEDEMA NETWORK

By: NLN Medical Advisory Committee

Updated February 2011

TOPIC: THE DIAGNOSIS AND TREATMENT OF LYMPHEDEMA REFERENCES

- Foldi E, et al. (2005). The Science of Lymphoedema Bandaging in Calne, S. Editor. European Wound Management Association (EWMA). Focus Document: Lymphoedema Bandaging in Practice. London: MEP Ltd, 2-4
- Casley-Smith, J. (1995). Alterations of untreated lymphedema and its grades over time. Lymphology, 28,174-185
- 3. MacLaren, J. (2001). Skin changes in lymphoedema: pathophysiology and management options. Int J Palliat Nurs, 7, 381-388
- 4. Yasuhara, H. (1996). A study of the advantages of elastic stockings for leg lymphedema. Int Angiol, 15, 272-277
- 5. Gordon, K (2007). A guide to lymphedema. Expert Review of Dermatology, 2 (6) 741-752
- 6. Armer J et al.(2009) 30-month post-breast cancer treatment lymphoedema. J Lymphoedema, 4,14–18
- 7. Ridner, S.(2009) The PsychoSocial Impact of Lymphedema. Lymphat Res Biol. 7, 109–112
- 8. Ahmed, R. J (2008) Lymphedema and Quality of Life in Breast Cancer. Survivors: The Iowa Women's Health Study. Clin Oncol 26, 5689-5696
- Shih, Y. (2009) Incidence, Treatment Costs, and Complications of Lymphedema After Breast Cancer Among Women of Working Age: A 2-Year Follow-Up Study. JCO 27, 2007-2014
- Executive Committee of International Society of Lymphology (2009) The Diagnosis and Treatment of Peripheral Lymphedema. Consensus Document of the International Society of Lymphology. Lymphology, 42, 51-60

- 11. Mayrovitz HN (2009)The standard of care for lymphedema: current concepts and physiological considerations.Lymphat Res Biol 7,101-8
- 12. Szuba, A (2000) Decongestive lymphatic therapy for patients with cancer-related or primary lymphedema. American Journal of Medicine, 109, 296-300
- 13. Godette, K. (2006) Can Manual Treatment of Lymphedema Promote Metastasis? J Soc Integrat Oncol. ,4, 8-12
- 14. Pinell, XA et al.(2008) Manipulative therapy of secondary lymphedema in the presence of locoregional tumors. Cancer 112, 950–954,
- 15. Hinrichs CS, et al. (2004) The effectiveness of complete decongestive physiotherapy for the treatment of lymphedema following groin dissection for melanoma. J Surg Oncol. 85: 187–192
- 16. Lasinski, B. (2002). Comprehensive lymphedema management: results of a five-year follow-up. Lymphology, 35, 301-305.
- 17. Morgan, R.G. (1992). Complex physical therapy for the lymphoedematous arm. J Hand Surg, 17, 437-441
- 18. Thomas, RC et al. (2007) Reduction of lymphedema using complete decongestive therapy: roles of prior radiation therapy and extent of axillary dissection. J Soc Integrat Oncol.5, 87-91
- 19. Koul et al. (2007) Efficacy of complete decongestive therapy and manual lymphatic drainage on treatment related lymphedema in breast cancer. Int. J. Radiation Oncology Biol. Phys, 67, 841–846.
- 20. Foldi, E. (1989). The lymphedema chaos: a lancet. Ann Plast Surg, 22, 505-515.
- 21. Foldi E, (1998) The Treatment of Lymphedema. Cancer 83 Suppl 12B, 2833-2834.
- 22. Ko, D. (1998). Effective treatment of lymphedema of the extremities. Arch Surg, 133, 452-458
- 23. Boris M, et al (1994). Lymphedema reduction by noninvasive complex lymphedema therapy. Oncology. 9, 95-106
- 24. Johnstone, PA et al. (2006) Role of patient adherence in maintenance of results after manipulative therapy for lymphedema J Soc Integr Oncol. 4, 125-9

- 25. Mondry T et al (2004) Prospective trial of complete decongestive therapy for upper extremity lymphedema after breast cancer therapy, 10, 42-8
- 26. Hammer JB et al. (2007) Lymphedema Therapy Reduces the Volume of Edema and Pain in Patients with Breast Cancer. Annals of Surgical Oncology 14, 1904–1908.
- 27. Ferrandez, J. (1996). Lymphoscintigraphic aspects of the effects of manual lymphatic drainage. J Mal Vasc, 21, 283-289
- 28. Franzcek U et al (1997) Combined physical therapy for lymphedema evaluated by fluorescence microlymphography and lymph capillary pressure measurements. J Vasc Res, 34, 306-311
- 29. Hayes, S et al.(2008) Lymphedema After Breast Cancer: Incidence, Risk Factors, and Effect on Upper Body Function. J Clin Oncol 28, 3536-3542
- 30. Weiss, J. (2002). The effect of complete decongestive therapy on the quality of life of patients with peripheral lymphedema. Lymphology, 35, 46-58.
- 31. Kim SJ et al. (2007) Effect of Complex Decongestive Therapy and the Quality of Life in Breast Cancer Patients with Unilateral Lymphedema. Lymphology 40, 143-151.
- 32. Cormier, JN et al. (2009) Minimal limb volume change has a significant impact on breast cancer survivors. Lymphology 42, 161-175
- 33. Hormes, JM et al. (2010) Impact of lymphedema and arm symptoms on quality of life in breast cancer survivors. Lymphology 43, 1-13
- 34. Fu, M et al (2009) Breast Cancer Survivors' Experiences of Lymphedema-Related Symptoms J Pain Symptom Manage;38:849e859.
- 35. Vignes, S (2006) Recurrence of lymphoedema-associated cellulitis (erysipelas) under prophylactic antibiotherapy: a retrospective cohort study JEADV,20:, 818–822
- 36. Cooper, R et al. (2009) Cutaneous Infections in Lymphoedema. Journal of Lymphoedema, 4, 44-48
- 37. Al_Niaimi, F et al.(2009) Cellulitis and Lymphoedema, A Vicious Cycle. Journal of Lymphoedema. 4, 38-42

- 38. Godoy J et al. (2007) Prevalence of cellulitis and erysipelas in post-mastectomy patients after breast cancer. Arch Med Sci, 3, 249-251
- 39. Chamilos, G (2006) Refractory Cellulitis in a Woman With Chronic Lymphedema Infectious Diseases in Clinical Practice, 14,244-245
- 40. Schwartz, RA (2010) Stewart Treves Syndrome: Follow Up. http://emedicine.medscape.com/article/1102114-followup
- Chopra, S et al. (2007) MRI of angiosarcoma associated with chronic lymphoedema: Stewart—Treves syndrome The British Journal of Radiology, 80 e310–e313
- 42. Tomita, K et al.(1988) Lymphangiosarcoma in postmastectomy lymphedema (Stewart-Treves syndrome): ultrastructural and immunohistologic characteristics. J Surg Oncol. 38, 275-82.
- 43. Ruocco V, et al (2002) Lymphedema: an immunologically vulnerable site for development of neoplasms . J Am Acad Dermatol. 47, 124 -127.
- 44. McHaffie, DR et al. (2010) Stewart-Treves Syndrome of the Lower Extremity. JCO 28, e351-e352
- 45. Gur, A et al. (2009) Risk factors for breast cancer-related upper extremity lymphedema. Central European Journal of Medicine. 4, 65-70
- 46. Didem, K et al (2005) The comparison of two different physiotherapy methods in treatment of lymphedema after breast surgery Breast Cancer Research and Treatment 93, 49–54
- 47. Williams, AF et al (2002) A randomized controlled crossover study of manual lymphatic drainage therapy in women with breast cancer-related lymphoedema. European Journal of Cancer Care 11, 254–261
- 48. McNeely, M. (2004). The addition of manual lymph drainage to compression therapy for breast cancer related lymphedema: a randomized controlled trial Breast Cancer Res Treat, 86, 95-106.
- 49. Yamamoto et al. (2008) Study of Edema Reduction Patterns During the Treatment Phase of Complex Decongestive Physiotherapy for Extremity Lymphedema. Lymphology 41 80-86

- 50. Foldi E, et al. (2005)The Science of Lymphoedema Bandaging. In Calne, S. Editor. European Wound Management Association (EWMA). Focus Document: Lymphoedema bandaging in practice. London: MEP Ltd, 2-4
- 51. King, T. (2001). Physical properties of short-stretch compression bandages used to treat lymphedema. Am J Occup Ther, 55, 573-576
- 52. Partsch, H. (2007) Assessing the Effectiveness of Multilayer Inelastic Bandaging. Journal of Lymphoedema. 2, 55-61
- 53. Forner-Cordero I et al. (2010) Predictive factors of response to decongestive therapy in patients with breast cancer-related lymphedema. Ann Surg Oncol. 17, 744-751
- 54. Williams, A (2005) Practical Guidance on Lymphoedema Bandaging of the Upper and Lower Extremities. In Calne, S. Editor. European Wound Management Association (EWMA). Focus Document: Lymphoedema bandaging in practice. London: MEP Ltd, 10-14
- 55. Lerner R (2000) Effects of compression bandaging. Lymphology 33: 69
- 56. Hafner J et al (2000) A Comparison of Multilayer Bandage Systems During Rest, Exercise, and Over 2 Days of Wear Time Arch Dermatol. 136:857-863
- 57. McKenzie, D. (2003). Effect of upper extremity exercise on secondary lymphedema in breast cancer patients: a pilot study. J Clin Oncol, 21, 463-466
- 58. Schmitz, KH et al. (2009) Weight Lifting in Women with Breast-Cancer–Related Lymphedema N Engl J Med 361:664-73.
- 59. Moseley AL et al: (2005) The Effect of Gentle Arm Exercise and Deep Breathing on Secondary Arm Lymphedema. Lymphology 38 136-145
- 60. Schmitz KH. Balancing lymphedema risk: exercise versus deconditioning for breast cancer survivors. Exerc. Sports Sci. Rev. 2009; 38:17-24
- 61. Johansson K, et al. (2005) Low intensity resistance exercise for breast cancer patients with arm lymphedema with or without compression sleeve. Lymphology 38,167-80
- 62. Mustian, K et al. (2009). Exercise for the Management of Side Effects and Quality of Life among Cancer Survivors. Curr Sports Med Rep 8; 325-330

- 63. Vaillant, L. (2002). Infectious complications of lymphedema. Rev Med Interne, 23, 403-407
- 64. Mallon, E. (1994). Lymphedema and wound healing. Clin Dermatol,12, 89-93
- 65. Macdonald, J. (2001). Wound healing and lymphedema: a new look at an old problem. Ostomy Wound Manage, 47, 52-57.
- 66. Badger CM, et al (2000) A randomized, controlled, parallel-group clinical trial comparing multilayer bandaging followed by hosiery versus hosiery alone in the treatment of patients with lymphedema of the limb. Cancer 88, 2832-37
- 67. Cornu-Thenard, A et al. (2007) Superimposed Elastic Stockings: Pressure Measurements Dermatol Surg 33:269–275
- 68. Lund, E. (2000). Exploring the use of CircAid legging in the management of lymphoedema. Int J Palliat Nurs, 6, 383-391
- 69. Fu, M.R et al. (2008). Breast Cancer-Related Lymphedema: Information, Symptoms, and Risk Reduction Behaviors. J Nurs Scholarsh, 40, 341-348.
- 70. Fife, C et al. Lymphoedema in Bariatric Patients. J Lymphoedema. 4, 29-37,
- 71. Petrek, JA (2001) Lymphedema in a Cohort of Breast Carcinoma Survivors: 20 years after diagnosis. Cancer. 92, 1368-77
- 72. Soran, A et al. (2006) Breast Cancer Related Lymphedema-What are the Significant Predictors and how they affect the severity of lymphedema. Breast J, 12, 536-43,
- 73. Mahamaneerat, K et al. Breast Cancer Treatment, BMI, PostOp swelling/lymphoedema. J Lymphoedema. 3, 38-44.
- 74. Helyer LK, et al. (2010) Obesity is a risk factor for developing postoperative lymphedema in breast cancer patients. Breast J.; 16, 48-54
- 75. Shaw, S et al. (2007) A Randomized Controlled Trial of Weight Reduction as a Treatment for Breast Cancer-related Lymphedema. Cancer, 110, 1868–74
- 76. Lewin, J et al. (2010) Preliminary Experience With Head and Neck Lymphedema and Swallowing Function in Patients Treated for Head and Neck Cancer.

 Perspectives on Swallowing and Swallowing Disorders. Dysphagia 19, 45-52

- 77. Murphy, B et al. 2010, Late-effect laryngeal oedema/lymphoedema. Journal of Lymphoedema, 5, 92-93
- 78. Smith B et al. (2010) Lymphedema Management in Head and Neck Cancer. Current Opinions in Otolaryngology and Head and Neck Surgery. 18,153-158
- 79. Szolnoky et al.(2009) Intermittent Pneumatic Compression Acts Synergistically With Manual Lymphatic Drainage In Complex Decongestive Therapy. Lymphology 42,188-194
- 80. Miranda F et al. (2001) Effect of Sequential Intermittent Pneumatic Compression On Both Leg Lymphedema Volume and On Lymph Transport As SemiQuantitatively Evaluated by Lymphoscintigraphy. Lymphology 34 135-141.
- 81. Johansson, K. (1988). A randomized study comparing manual lymph drainage with sequential pneumatic compression for treatment of postoperative arm lymphedema. Lymphology, 31, 56-64.
- 82. Adams,KE et al. Direct Evidence of lymphatic function improvement after advanced pneumatic compression device treatment of lymphedema. Biomedical Optics Express 1, 114
- 83. Pappas, C. (1992). Long-term results of compression treatment for lymphedema. J Vasc Surg. 16(4). 555-564.
- 84. Yamazaki, A. (1988). Clinical experience using pneumatic massage therapy for edematous limbs over the last 10 years. Angilogy. 39. 154-163.
- 85. Dini, D. (1998). The role of peumatic compression in the treatment of postmastectomy lymphedema. A randomized phase III study. Ann Oncol. 9. 187-190.
- 86. Szuba, A. (2002). Decongestive lymphatic therapy for patients with breast carcinoma-associated lymphedema. A randomized, prospective study of a role or adjunctive intermittent pneumatic compression. Cancer, 95, 2260-2267
- 87. Szolnoky, G etal. (2008) Complete Decongestive Physiotherapy With and Without Pneumatic Compression For Treatment of Lipidema: A Pilot Study. Lymphology 41: 40-44
- 88. Partsch, H. (1980). Experimental observations on the effect of a pressure wave massage apparatus (Lympha-Press) in lymphedema. Phlebologie Proktologie. 80. 124-128

- 89. Wilburn, O. (2006). A pilot, prospective evaluation of a novel alternative for maintenance therapy for breast cancer-associated lymphedema. BMC Cancer. 6, 84
- 90. Hammond, T et al. (2009) Programmable Intermittent Pneumatic Compression as a Component of Therapy for Breast Cancer Treatment–Related Truncal and Arm Lymphedema Home Health Care Management Practice Online First, doi:10.1177/1084822309343421
- 91. Ridner, S et al. (2008) Home-based lymphedema treatment in patients with cancer-related lymphedema or noncancer-related lymphedema. Oncol Nurs Forum. 35, 671-80
- 92. Adams, KE et al. Direct Evidence of lymphatic function improvement after advanced pneumatic compression device treatment of lymphedema. Biomedical Optics Express 1, 114
- 93. Pilch et al. (2009) Influence of Compression Cycle Time and Number of Sleeve Chambers on Upper Extremity Lymphedema Volume Reduction During Intermittent Pneumatic Compression. Lymphology 42 26-35
- 94. Mayrovitz, HN. (2007) Interface pressures produced by two different types of lymphedema therapy devices. Phys Ther 87, 1379-1388
- 95. Segers P, Belgrado JP, LeDuc A, et al. Excessive pressure in multichambered cuffs used for sequential compression therapy. Phys Ther. 2002; 82:1000-1008
- 96. Boris, M. (1998). The risks of genital lymphedema after pump treatment for lower limb lymphedema. Lymphology. 31. 50-20.
- 97. Gloviczki, P. (1999). Principles of surgical treatment of chronic lymphoedema. International Angiology, 18 42-46.
- 98. Vignes, S. (2002). Role of surgery in the treatment of lymphedema. Rev. Med Interne. 23, 426-430.
- 99. Miller, T.A. (1998). Staged skin and subcutaneous excision for lymphedema: a favorable report of long-term results. Plast Reconstr Surg, 102,1486-498.
- 100. Kim, D.I. (2004). Excisional surgery for chronic advanced lymphedema. Surgery Today, 34, 134-137

- 101. Salgado CJ, Sassu P, Gharb BB, et al. Radical reduction of upper extremity lymphedema with preservation of perforators. Ann Plast Surg. Sep 2009;63(2):302-6
- 102. Brorson, H. (2003). Liposuction in arm lymphedema treatment. Scand J Surg. 92, 287-95.
- 103. Brorson H, Ohlin K, Olsson G, Svensson B. Liposuction of leg lymphedema: Preliminary 2 year results. Lymphology 2006; 39
- 104. Fazhi Q et al, (2009)Treatment of upper limb lymphedema with combination of liposuction, myocutaneous flap transfer, and lymph-fascia grafting: A preliminary study. Microsurgery. 29, 29-34.
- 105. Slavin SA et al.(1999) Return of lymphatic function after flap transfer for acute lymphedema. Ann Surg. 229,421-7
- 106. Weiss M, et al (2003) Dynamic lymph flow imaging in patients with oedema of the lower limb for evaluation of the functional outcome after autologous lymph vessel transplantation: an 8-year follow-up study. Eur J Nucl Med Mol Imaging; 30, 202-206.
- 107. Becker C, et al (2006) Post mastectomy lymphedema: long-term results following microsurgical lymph node transplantation. Ann Surg; 243, 313-315)
- 108. Koshima, I. (2000). Supermicrosurgical lymphaticovenular anastomosis for the treatment of lymphedema in the upper extremities. J Reconstr Microsurg, 16, 437-442.
- 109. Baumeister, R.G. (2003). The microsurgical lymph vessel transplantation. Handchir Mikrochir Plast Chir, 35, 202-209.
- 110. Abalmasov, K.G. (2003). Lymphedema of the extremities: prospects of microsurgical treatment. Angiol Sosud Khir, 9, 66-79.
- 111. Vignes, S. (2003). Quantitative evaluation and qualitative results of surgical lymphovenous anastomosis in lower limb lymphedema. J Mal Vasc, 28, 30-35.
- 112. Chang, D. (2010): Lymphaticovenular Bypass for Lymphedema Management in Breast Cancer Patients: A Prospective Study. Plastic & Reconstructive Surgery 126, 752-758.
- 113. Campisi C, et al, (2006) Lymphatic microsurgery for the treatment of lymphedema. Microsurgery; 26(1): 65-69.

- 114. Campisi C et al (2004) Microsurgical techniques for lymphedema treatment: derivative lymphatic-venous microsurgery. World J Surg 28(6): 609-13.
- 115. Narushima M, et al (2010) The intravascular stenting method for treatment of extremity lymphedema with multiconfiguration lymphaticovenous anastomoses. Plast Reconstr Surg. 125, 935-943
- 116. Casley-Smith, J. (1993). Treatment of lymphedema of the arms and legs with 5, 6 benzo-a-pyrone. N Engl J Med, 329, 1158-1163.
- 117. Casley-Smith, J. (1993). Treatment of filarial lymphodema and elephantiasis with 5, 6 benzo-a-pyrone (coumarin). Br Med J. 307, 1037-1041.
- 118. Loprinzi, C. (1999). Lack of effect of coumarin in women with lymphedema after treatment for breast cancer. N Engl J Med. 340, 346-50.
- 119. Taylor, H. (1993). A double blind clinical trial of hydroxyethylrutosides in obstructive arm lymphodema. Phlebology, 8, 22-28.
- 120. Mortimer, P. (1995). A double-blind, randomized parallel-group, placebocontrolled trail of 0-(☑-hydroxyethyl)-rutosides in chronic arm oedema resulting from breast cancer treatment. Phlebology.10, 51-55.
- 121. Kendall, S. (1993). Effects of hydroxyethylrutosides on the permeability of microvessels in t frog mesentery. Br J Pharmacol. 110, 199-206.
- 122. Bouskela, E. (1999). Effects of diosmin-hospieridin on inceased microvascular permeability in the hamster cheek pouch. International Journal of the Microcirculation: Clinical and Experimental, 14, 79.
- 123. Cotonat, A. (1989). Lymphangogue and pulsatile activities of Daflon 500 mg on canine thoracic lymph duct. International Angiology, 8, 15-18
- 124. Siebert U, et al. (2002) Efficacy, routine effectiveness, and safety of horsechestnut seed extract in the treatment of chronic venous insufficiency. A meta-analysis of randomized controlled trials and large observational studies. Int Angiol. 4, 305-315
- 125. Micke O, et al. (2003) Selenium in the treatment of radiation-associated secondary lymphedema. Int J Radiat Oncol Biol Phys . 56, 40-9
- 126. Bruns F, et al.(2004) Selenium in the treatment of head and neck lymphedema. Med. Princ Pract. 13:185-90.

- 127. Cirelli, M. (1962). Treatment of inflammation and edema with bromelain. Delaware Med J, 34,159-167.
- 128. Seligman, B. (1969). Oral bromelains as adjuncts in the treatment of acute thrombophlebitis. Angiology, 20, 22-6.
- 129. Schafer A. (1985). Plasma inhibition of platelet function and of arachidonic acid metabolism. J Clin Invest, 75, 456-461.
- 130. Kelly, G. (1996). Bromelain: a literature review and discussion of its therapeutic applications. Altern Med Rev, 1, 243-257.
- 131. Munzig, E. (1995). Bromelain protease F9 reduces the CD44 mediated adhesions of human peripheral blood lymphocytes to human umbilical vein endothelial cells. FEBS Lett, 351, 215-218.
- 132. Gaby, A. (1995). The story of bromelain. Nutr Healing, 3, 4-11.)
- 133. Piller et al Placebo controlled trial of mild electrical stimulation. Journal of Lymphoedema, 2010, Vol 5, No 1. 15-25.
- 134. Moseley AL et al. The Sun Ancon Chi Machine Aerobic Exerciser: A New Patient Focused Home Based Therapy For People with Chronic Secondary Leg Lymphedema. Lymphology 37 (2004) 53-61.
- 135. Carati C, et al. Treatment of Postmastectomy Lymphedema with Low-Level Laser Therapy. Cancer 2003;98:1114–22
- 136. Hafner, A et al. (2005) Combined modality treatment of lymphedema using the Reid Sleeve and the Biocompression Optiflow system. Journal of Clinical Oncology. 23(s), 592.
- 137. Lawrence, S. (2008) Use of a Velcro Wrap System in the management of lower limb lymphoedema/oedema. Journal of Lymphoedema, 3, 65-70
- 138. Warren, A et al. (2007) Lymphedema: A comprehensive review. Annals of Plastic Surgery, 59, 464-472
- 139. Tidhar, D et al. (2010) Aqualymphatic therapy in women who suffer from breast cancer treatment-related lymphedema: a randomized controlled study. Support Care Cancer. 18: 383-392

- 140. Jahr, S et al. (2008) Effect of treatment with low intensity and extremely low frequency electrostatic fields (deep oscillation) on breast tissue and pain on patients with secondary breast lymphoedema. J Rehabil Med. 40, 645-650
- 141. Omar A et al. (2010) Treatment of Post Mastectomy Lymphedema with laser therapy: double blind placebo control randomized study. J Surg Research, 165, 82-90
- 142. Kozanoglu E et al, (2009) Efficacy of Pneumatic Compression and Low Level Laser Therapy in the treatment of post mastectomy lymphoedema: a randomized controlled trial. Clin Rehabil. 23, 117-124
- 143. Armer J et al. (2010) Post Breast Cancer Lymphedema: Incidence Increases from 12 to 30 to 60 months. Lymphology 43, 118-127.
- 144. Ward, L, (2006) Bioelectrical Impedance Analysis: Proven Utility in Lymphedema Risk Assessment and Therapeutic Monitoring. Lymph Res Biol. 4, 51-56
- 145. Moseley A et al (2007) Endermologie (with and without compression bandaging)--a new treatment option for secondary arm lymphedema. Lymphology, 40, 129-137.
- 146. Lee B et al.(2010) Diagnosis and treatment of primary lymphedema. Consensus document of the International Union of Phlebology (IUP)-2009. Int Angiol 29,454-70
- 147. Moseley A et al. (2008) Reliability of bioimpedance spectroscopy and tonometry after breast conserving cancer treatment. Lymphatic Res Biol, 6, 85-7
- 148. Moseley A et al. (2002) Combined opto-electronic perometry and bioimpedance to measure objectively the effectiveness of a new treatment intervention for chronic secondary leg lymphedema. Lymphology. 35. 136-43
- 149. Rockson, S et al. (2007) Bioimpedance analysis in the assessment of lymphoedema diagnosis and management. J Lymphoedema. 2, 44-48.
- 150. Mayrovitz, H (2009) Suitability of single tissue dielectric constant measurements to assess local tissue water in normal and lymphedematous skin. Clin Physiol Imaging 29: 123-127
- 151. Mayrovitz, H (2009) Assessing lymphedema by tissue indentation force and local tissue water. Lymphology 42, 88-98

- 152. Mayrovitz, H (2007) Assessing local tissue edema in postmastectomy lymphedema. Lymphology 40, 87-94
- 153. Corica, GF et al (2006) Objective measurement of scarring by multiple assessors: is the tissue tonometer a reliable option? J Burn Care Res. 27, 520-523
- 154. Mirnajafi, A et al. (2004) A New Technique for Measuring Skin Changes of Patients with Chronic Postmastectomy Lymphedema. Lymph Res Biol. 2, 82-85
- 155. Ridner S, et al. (2007) Comparison of upper limb volume measurement techniques and arm symptoms between healthy volunteers and individuals with known lymphedema Lymphology 40, 35-46
- 156. Chen Y et al. (2008) Reliability of Measurements For Lymphedema in Breast Cancer Patients. Am J Phys Med Rehabil. 87, 33-38
- 157. Cheville A et al. The Grading of Lymphedema in Oncology Clinical Trials. (2003) Seminars in Radiation Oncology. 13, 214-225
- 158. Gniadecka, M.(1996) Localization of dermal edema in lipodermatosclerosis, lymphedema, and cardiac insufficiency: High frequency ultrasound examination of intradermal echogeniticy. J Amer Acad Derm 35, 37-41
- 159. Astrom K et al.(2001) Imaging of primary, secondary and mixed forms of lymphedema. Acta Radiol. 42 409-416
- 160. Deltombe T et al. (2007) Reliability and limits of agreement of circumferential, water displacement and optoelectric volumetry in the measurement of upper limb lymphedema. Lymphology 40, 26-34
- 161. Hayes S et al. (2005) Comparison of Methods to Diagnose Lymphoedema among breast cancer survivors: 6 month follow up. Br Ca Res Treat. 89, 221-226
- 162. Pecking A et al. (2008) Relationship between lymphoscintigraphy and clinical findings in lower limb lymphedema: toward a comprehensive staging.

 Lymphology 41, 1-10
- 163. Hayes S et al. (2008) Lymphedema secondary to breast cancer: how choice of measure influences diagnosis, prevalence, and identifiable risk factors. Lymphology 41,18-28
- 164. Kramer E. (2001) Lymphoscintigraphy: Defining a Clinical Role. Lymph Res Biol. 2, 32-7

- 165. Bellini C et al (2005) Diagnostic Protocol for Lymphoscintigraphy in Newborns. Lymphology 38, 9-15
- 166. Hwang et al (2007) Lymphoscintigraphy predicts response to complex physical therapy in patients with early stage extremity lymphedema. Lymphology 40-172-176
- 167. Szuba (2007) Presence of Axillary lymph nodes and lymph drainage within arms of women with and without breast cancer-related lymphedema. Lymphology 40-81-86
- 168. Bellini C et al. (2008) Lymphatic Dysplasias in Newborns and Children: the role of lymphoscintigraphy. J Pediatr 152. 587-9
- 169. Ng, M et al. (2010) Clinimetrics of volume measurement in upper limb LE. J Lymphoedema. 5, 62-67
- 170. Unno, N et al. (2008) Quantitative Lymph Imaging for Assessment of Lymph Function using Indocyanine Green Fluorescence Lymphography. Eur J Vasc Endovasc Surg 36, 230-236
- 171. Unno N et al. (2010) A novel method of measuring human lymphatic pumping using indocyanine green fluorescence lymphography. J Vasc Surg 52, 946-52
- 172. Rasmussen J et al.(2009) Lymphatic Imaging in Humans with Near-Infrared Fluorescence. Curr Opin Biotechnol. 20-74-82
- 173. Rasmussen J et al (2010) Human Lymphatic Architecture and Dynamic Transport Imaged Using Near-infrared Fluorescence. Transl Oncol.; 3362–372
- 174. Maus, E. (2010) Near-infrared fluorescence imaging of lymphatics in head and neck lymphedema. Head and Neck. Online November 12, 2010. DOI: 10.1002/hed.21538
- 175. Damstra, R (2008) Diagnosis and Therapy in Children with Lymphoedema. Plebology 23: 276-286
- 176. Ferrell RE (2008) Candidate Gene Analysis in Primary Lymphedema. Lymphat Res Biol 6, 69-76
- 177. Connell, FC (2009) et al Analysis of the coding regions of VEGFR3 and VEGFC in Milroy disease and other primary lymphoedemas. Hum Genetics 124, 625-631

- 178. Boon, L (2011) Pathogenesis of Vascular Anomalies. Clinics in Plastic Surgery. 38, 7-19. Online ahead of print November 2010
- 179. Schumacher, M, et al. (2008)Treatment of Venous Malformations-comparison to lymphatic malformations. Lymphology. 41, 139-146
- 180. Bellini C. (2005) Pulmonary Lymphangiectasia. 38, 111-121
- 181. Wang, Z. (2005) Clinical Report of congenital lymphatic malformations and partial gigantism of the hands associated with a heterogenous karyotype. Am J Medical Genetics 132A, 106-107
- 182. Gupta, N et al. (2006) A female with hemihypertrophy and chylous ascites-Klippel Trenaunay Syndrome or Proteus Syndrome: a diagnostic dilemma. Clin Dysmorphol. 15: 229-231
- 183. Bellini C et al. (2009) Congenital lymphatic dysplasias: genetics review and resources for the lymphologist. Lymphology 42, 36-41
- 184. Starritt, E et al. (2004) Lymphedema after complete axillary node dissection for melanoma. Ann Surg 240, 866-874
- 185. Cormier, J et al (2010) Lymphedema beyond breast cancer: A systematic review and meta-analysis of cancer-related secondary lymphedema. Cancer 116 5138-5149.
- 186. Chang, S et al (2010) Prospective assessment of postoperative complications and associated costs following inguinal lymph node dissection (ILND) in melanoma patients. Ann Surg Oncol. 17, 2764-72
- 187. Lacomba, M (2010) Effectiveness of early physiotherapy to prevent lymphoedema after surgery for breast cancer: randomised, single blinded, clinical trial
- 188. Soo, J et al (2008) Lymphatic abnormalities demonstrated by lymphoscintigraphy after lower limb cellulitis. BrJDermatol. 158, 1350-1353
- 189. Piller, N, (2009) Phlebolymphoedema/chronic venous lymphatic insufficiency: an introduction to strategies for detection, differentiation and treatment. Phlebology 24:51-55
- 190. Cornish, B et al. (2007) Can bioimpedance spectroscopy tell us about the form of lymphoedema? In Scharfetter and Merwa (Eds) 13th International Conference

- on Electrical Bioimpedance and 8th Conference on Bioimpedance Tomography. Springer. 795-798.
- 191. Bar-Ad, et al (2008) Time Course of Mild Arm Lymphedema After Breast Conservation Treatment for Early-Stage Breast Cancer, Intl Journal Radiation Oncology Biology Physics 78, 85-90
- 192. Lawenda, B et al (2009) Lymphedema: A primer on the identification and management of a chronic condition in oncologic treatment. CA: A Cancer Journal for Clinicians. 59, 8-24.
- 193. Bernas, M et al (2010) Lymphedema: How do we diagnose and reduce the risk of this dreaded complication of breast cancer treatment? Curr Breast Cancer Rep 2, 53-58.
- 194. Szuba, A et al. (2003) The third circulation: radionuclide lymphoscintigraphy in the evaluation of lymphedema. J Nucl Med, 44, 43-57
- 195. Szuba, A et al (2003) Diagnosis and treatment of concomitant venous obstruction in patients with secondary lymphedema. J Vasc Intervent Radiol. 13,799-803
- 196. Szuba, A et al (2000) Decongestive lymphatic therapy for patients with cancerrelated or primary lymphedema. Am J Med. 109, 296-300
- 197. Szuba, A et al (1998) Lymphedema: classification, diagnosis and therapy. Vasc Med, 3, 145-156
- 198. Szuba, A et al (1997) Lymphedema: anatomy, physiology and pathogenesis. Vasc Med, 4,321-6
- 199. Olszewski, W. (2010) Tissue fluid pressure and flow in the subcutaneous tissue in lymphedema-hints for manual and pneumatic compression therapy. Phlebolymphology. 17, 144-50
- 200. Olszewski, W (2009) Anatomical distribution of tissue fluid and lymph in soft tissues of lower limbs in obstructive lymphedema-hints for physiotherapy. Phlebolymphology. 16, 283-289.
- 201. Brice, G et al (2002) Analysis of the phenotypic abnormalities in lymphoedemadistichiasis syndrome in 74 patients with FOXC2 mutations or linkage to 16q24. J Med Genet, 39, 478-483.
- 202. Moseley A, et al. (2008) Exercise for Limb Lymphoedema: evidence that it is beneficial. J Lymphoedema. 3,51-56

- 203. Gultig, O (2005) Lymphoedema bandaging for the head, breast and genitalia. In Calne, S. Editor. European Wound Management Association (EWMA). Focus Document: Lymphoedema bandaging in practice. London: MEP Ltd, 2-4
- 204. National Lymphedema Network Position Papers, www.lymphnet.org
- 205. Czerneic, S et al (2010) Segmental measurement of breast cancer-related arm lymphoedema using perometry and bioimpedance spectroscopy. Support Care Cancer. Online DOI: 10.1007/s00520-010-0896-8
- 206. Gergich, N et al (2008) Preoperative assessment enables the early diagnosis and successful treatment of lymphedema. Cancer. 112, 2809-2819.

Additional References:

- 1. Weissleder, H and Schuchhardt, C. Lymphedema
- 2. Diagnosis and Therapy, 4th edition. ViaVital, Verlag 2008
- American Cancer Society, ACS Complete Guide to Lymphedema: Understanding
 & Managing Lymphedema after Cancer Treatment, ACS 2006
- 4. Foldi, M, Foldi, E, Kubik, S. Textbook of Lymphology, 6th Edition, Elsevier 2005
- 5. Kurz,l Textbook of Dr Vodder's Manual Lymph Drainage Vol 2: Therapy 4th edition, 1997.
- 6. Wittlinger, H & W., Textbook of Dr Vodder's Manual Lymph Drainage Vol 1, 7th Edition. 2004
- 7. Foldi, M, Strobenreuther, R. Foundations of Manual Lymph Drainage 3rd edition, Elsevier, 2005
- 8. Zuther JE. Lymphedema Management: The Comprehensive Guide for Practitioners. 2nd ed. New York, NY: Thieme; 2009